NEUROSCIENCE LETTERS

Vol. 164 No. 1,2 **CONTENTS** **DECEMBER 24th, 1993**

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Announcement from the Publisher v

Frontal lobe dementia is not a variant of prion disease
J. Clinton, D.M.A. Mann and G.W. Roberts (UK) 1

Hypoxic forebrain cholinergic neuron injury: role of glucose, excitatory amino acid receptors and nitric oxide
M.P. Flavin, Y. Yang and G. Ho (Canada) 5

Differential effects of ethanol on the firing rates of Golgi-like neurons and Purkinje neurons in cerebellar slices in vitro
R.K. Freund, Y. Wang and M.R. Palmer (USA, Taiwan) 9

Projection of the inferior dental nerve to the primary somatosensory cortex in rats
T. Hayama, K. Hashimoto and H. Ogawa (Japan) 13

Anxiolytic-like action of centrally administered galanin
O. Bing, C. Möller, J.A. Engel, B. Söderpalm and M. Heilig (Sweden) 17

Bradykinin B_1 and B_2 receptor antagonists do not change the ongoing activity of slowly conducting articular afferents in the inflamed knee joint of the cat
K. Meßlinger, K. Schepelmann, M. Pawlak and R.F. Schmidt (Germany) 21

Colocalization of GABA and glycine in the rabbit oculomotor nucleus
P.R. Wentzel, C.I. De Zeeuw, J.C. Holstege and N.M. Gerrits (The Netherlands) 25

Phasic loss of intercostal muscle activity occurring with rapid eye movements during REM sleep
J. Kohyama, T. Kohji, M. Shimohira and Y. Iwakawa (Japan) 30

The preoptic nucleus: the probable location of the circadian pacemaker of the hagfish, *Eptatretus burgeri*
S. Ooka-Souda, T. Kadota and H. Kabasawa (Japan) 33

FMRF-amide modulates the electrical activity of the leech Retzius cell
C.L. Sahley, J.A. Strong and A.L. Kleinhaus (USA) 37

The effect of pergolide and MDL 72974 on rat brain CuZn superoxide dismutase
A. Clow, C. Freestone, E. Lewis, D. Dexter, M. Sandler and V. Glover (UK) 41

Immunohistochemical localization of transforming growth factor-α in choroid plexus of the rat and chicken
C. Díaz-Ruiz, R. Pérez-Tomás, J. Domingo and I. Ferrer (Spain) 44

Effect of ipsilateral lesioning of the nucleus basalis magnocellularis and of L-α-glyceryl phosphorylcholine treatment on choline acetyltransferase and acetylcholinesterase in the rat fronto-parietal cortex
E. Bronzetti, L. Felici and F. Amenta (Italy) 47

Adenosine 5′-triphosphate modulation of nitrobenzylthioinosine binding sites in plasma membranes of bovine chromaffin cells
T. Casillas, E.G. Delicado and M.T. Miras-Portugal (Spain) 51

Brain-derived neurotrophic factor pretreatment exerts a partially protective effect against glutamate-induced neurotoxicity in cultured rat cortical neurons
S. Shimohama, Y. Tamura, A. Akaike, T. Tsukahara, O. Ohara, S. Watanabe and J. Kimura (Japan) 55

Gonadotropin-releasing hormone, a neuropeptide of efferent projections to the teleost retina induces light-adaptive spinule formation on horizontal cell dendrites in dark-adapted preparations kept in vitro
U.D. Behrens, R.H. Douglas and H.-J. Wagner (FRG, UK) 59

What intracranial tissues in humans contain sumatriptan-sensitive serotonin 5-HT_1-type receptors?
J. De Keyser, G. Vauquelin, J.-P. De Backer, H. De Vos and N. Wilczak (Belgium) 63

Effects of ozone exposure during pregnancy on ontogeny of sleep in rats
R. Haro and C. Paz (México D.F.) 67

Ethanol inhibits the uptake of exogenous norepinephrine from the extracellular space of the rat cerebellum
A.M.-Y. Lin, P.C. Bickford, M.R. Palmer and G.A. Gerhardt (USA, Taiwan) 71

Substance P innervation of equine synovial membranes: joint differences and neural and nonneural receptor localizations
R.M. Bowker, I.M. Sonea, K.B. Vex and J.P. Caron (USA) 76

(Contents continued on p. 239)

This journal is printed on acid-free paper.

0304-3940(19931224)164:1/2;1-5

CONTENTS *(continued from the back cover)*

Corticotropin-releasing factor in the locus coeruleus mediates EEG activation associated with hypotensive stress
M.E. Page, C.W. Berridge, S.L. Foote and R.J. Valentino (USA) 81
Transient projections from rat occipital cortex are able to respond to a spinal target derived diffusible factor in vitro
E.A.J. Joosten, P.R. Bär, W.H. Gispen and B.S. Bregman (USA, The Netherlands) 85
Global ischemia can cause DNA fragmentation indicative of apoptosis in rat brain
J.P. MacManus, A.M. Buchan, I.E. Hill, I. Rasquinha and E. Preston (Canada) 89
Nerve growth factor induces sensitivity to botulinum neurotoxin type A in norepinephrine-secreting PC12 cells
A. Banerjee, T.F.J. Martin and B.R. DasGupta (USA) 93
Developmental change in the modulation of acetylcholine receptor channel by protein kinase C activation in *Xenopus* embryonic muscle cells
W.-M. Fu and J.-L. Lin (Taiwan) 97
Gene expression and transcript size of the prepro-peptide VIP/PHM-27 in normal human tissue
A. Schulte-Bockholt, D.A. Meier, K. Hopp, A. Stadelmann, M.F. Otterson, G.L. Telford and T.R. Koch (USA) 101
Sleep homeostasis in the guinea pig: similar response to sleep deprivation in the light and dark period
I. Tobler and P. Franken (Switzerland) 105
Deafferentation induces early and delayed differential changes in the pattern of expression of the various guanine nucleotide binding protein mRNAs in rat striatum
A. Valerio, C. Tinti, A. Alberici, M. Belloni, M. Buonamici, P.F. Spano and M. Memo (Italy) 109
N-Methyl-D-aspartate receptors but not non-*N*-methyl-D-aspartate receptors mediate hypertension induced by carotid body chemoreceptor stimulation in the rostral ventrolateral medulla of the rat
T. Kubo, M. Amano and T. Asari (Japan) 113
Immunohistochemical localization of glutamate-containing neurons in the lateral reticular nucleus projecting to the cerebellar vermis in the kitten
Z. Wang, R.-H. Liu, S.J. Fung, V.K. Reddy and C.D. Barnes (USA) 117
Increased expression of subunit c of mitochondrial ATP synthase in brain tissue from neuronal ceroid lipofuscinoses and mucopolysaccharidosis cases but not in long-term fibroblast cultures
E. Kida, K. E.Wisniewski and A.A. Golabek (USA) 121
Cytokine-induced neutrophil chemoattractant mRNA expressed in cerebral ischemia
T. Liu, P.R. Young, P.C. McDonnell, R.F. White, F.C. Barone and G.Z. Feuerstein (USA) 125
Comparative electrophysiological properties of NG108–15 cells in serum-containing and serum-free media
V.C. Kowtha, J.N. Quong, H.J. Bryant and D.A. Stenger (USA) 129
Baclofen inhibits high-threshold calcium currents with two distinct modes in rat hippocampal neurons
M. Toselli and V. Taglietti (Italy) 134
Brief-lifetime, fast-inactivating ion channels account for the α-bungarotoxin-sensitive nicotinic response in hippocampal neurons
N.G. Castro and E.X. Albuquerque (USA, Brazil) 137
Neurotrophic effects of substance P on hippocampal neurons in vitro
C.J. Whitty, G. Kapatos and M.J. Bannon (USA) 141
Basal extracellular dopamine in the nucleus accumbens during amphetamine withdrawal: a 'no net flux' microdialysis study
D. Crippens, D.M. Camp and T.E. Robinson (USA) 145
Melatonin counteracts pinealectomy-dependent decreases in rat brain [^{3}H]flunitrazepam binding through an opioid mechanism
M.D. Gomar, B. Fernández, J.L. Castillo, C.M. del Aguila and D. Acuña-Castroviejo (Spain) 149
Low-threshold calcium current in dendrites of the adult rat hippocampus
H. Karst, M. Joëls and W.J. Wadman (The Netherlands) 154
Increase in c-*erb*Aα2 mRNA in the parvocellular region of the paraventricular nucleus of the hypothalamus following thyroidectomy in the adult male rat
N. Koibuchi, R.B. Gibbs, K.E. Jones, S. Yamaoka, W.W. Chin, D.W. Pfaff and M. Suzuki (Japan, USA) 159
Alteration of brain and liver microsomal polyunsaturated fatty acids following dietary vitamin E deficiency
M. Clement and J.-M. Bourre (France) 163
Inositol 1,4,5-trisphosphate arm of the phosphatidylinositide signal transduction pathway in the rat cerebellum during aging
O.J. Igwe and L. Ning (USA) 167
The patterns of control signals underlying elbow joint movements in humans
N. St-Onge, H. Qi and A.G. Feldman (Canada) 171
Receptive properties of afferent nerve fibres associated with the rat saphenous vein
R. Göder, H.-J. Häbler, W. Jänig and M. Michaelis (FRG) 175

40-Hz oscillations during motor behavior in man
G. Pfurtscheller, C. Neuper and J. Kalcher (Austria) 179
Inhibitors of endocytosis, endosome fusion, and lysosomal processing inhibit the intracellular proteolysis of the amyloid precursor protein
P.K. Dash and A.N. Moore (USA) 183
The major pelvic ganglion is the main source of nitric oxide synthase-containing nerve fibers in penile erectile tissue of the rat
Y.-q. Ding, Y.-q. Wang, B.-z. Qin and J.-s. Li (People's Republic of China) 187
The injury response of pulpal NPY-IR sympathetic fibers differs from that of sensory afferent fibers
R.J. Oswald and M.R. Byers (USA) 190
Sensorimotor cortex projections to the ventrolateral and the dorsomedial medulla oblongata in the rat
S.B. M'hamed, H. Sequeira, P. Poulain, M. Bennis and J.C. Roy (Morocco, France) 195
Do anticipatory postural adjustments precede compensatory stepping reactions evoked by perturbation?
W.E. McIlroy and B.E. Maki (Canada M4N 3M5) 199
Fos protein expression in the circadian clock is not associated with phase shifts induced by a nonphotic stimulus, triazolam
Y. Zhang, O. Van Reeth, P.C. Zee, J.S. Takahashi and F.W. Turek (USA) 203
Redistribution of K^+ channels into dendrites is unlikely to account for developmental down regulation of A-currents in rat dentate gyrus granule cells
T. Strecker and U. Heinemann (FRG) 209
Neural projections of the pineal organ in the larval sea lamprey (*Petromyzon marinus* L.) revealed by indocarbocyanine dye tracing
J. Yáñez, R. Anadón, B.I. Holmqvist and P. Ekström (FRG, Spain, Sweden) 213
C-fos expression in arcuate nucleus following intracerebroventricular hypertonic saline injections
L.P. Solano-Flores, M.P. Rosas-Arellano and J. Ciriello (Canada) 217
Ulex europaeus I and glycin max bind to the human olfactory bulb
M. Nagao, N. Oka, H. Kamo, I. Akiguchi and J. Kimura (Japan) 221
Adrenergic excitation of cutaneous nociceptors in chronically inflamed rats
J. Sato, S. Suzuki, T. Iseki and T. Kumazawa (Japan) 225
Interferon-γ and interleukin-1β induce nitric oxide formation from primary mouse astrocytes
S.J. Hewett, J.A. Corbett, M.L. McDaniel and D.W. Choi (USA) 229
Microglia express the type 2 plasminogen activator inhibitor in the brain of control subjects and patients with Alzheimer's disease
H. Akiyama, K. Ikeda, H. Kondo, M. Kato and P.L. McGeer (Japan, Canada) 233